


VOLA KV1

Fitting instruction
Montageanleitung
Monteringsvejledning
Monteringsvægledning
Montage hanleiding
Manuel de montage



04/00203
04/00206



www.vola.com

mnt_KV1_V3_40998778
06-09-2023


vola



Data, 3 Bar /43.5 Psi:





	l/min.	Gal/min.
KV1:	9,0	2.4
KV1US:	4,5	1.2

Max. 65°C, 150°F




Col. 02, 04, 05, 06, 08, 09,
12, 14, 15, 16, 17, 18,
19, 20, 21, 25, 27,
60, 62, 63, 65, 66


Col. 40, 61, 64, 70



4



5




KV1L/KV1M



Operation
Bedienung
Betjening

Bruk
Bediening
Fonctionnement




VOLA 500, 590, 500T1
VOLA 2500
VOLA SC1, SC3, SC5, SC7, SC9, SC10, SC12

Fitting instruction
 Montageanleitung
 Monteringsvejledning
 Monteringsvægledning
 Montage hanleiding
 Manuel de montage



GODKENDT
TIL DRILLEKVVAND

04/00027
 04/00038



www.vola.com

500 - 2500_V0_40998137
 02-10-2023








5 705230 492964

Data, 3 Bar /43.5 Psi:

	l/min.	Gal/min.
500:	14,5	3.8
590:	9,0	2.4
500-T1:	11,0	2.9
2500:	18,7	4.9
SC1:	18,7	4.9
SC5, 7:	18,0	4.8
SC9:	11,0	2.9

Max. 65°C, 150°F

500/2500:




5



6

090





6A


090

mm:	H	D	h
090	210	200	145
090A	110	85	40
090B	185	100	114
090C	185	100	114
090D	220	200	130
090E	170	200	65
090G	185	140	105
090H	265	220	155
090I	325	220	215
090V	355	145	270

Inches:	H	D	h
090	8 1/2"	8"	5 3/4"
090A	4 1/4"	3 1/2"	1 1/2"
090B	7"	4"	4 1/2"
090C	7"	4"	4 1/2"
090D	8 3/4"	8"	5"
090E	6 3/4"	8"	2 1/2"
090G	7"	5 1/2"	4"
090H	10 1/2"	8 5/8"	6"
090I	12 3/4"	8 5/8"	8 1/2"
090V	14"	5 3/4"	10 1/2"




6B



7


T1, T1S






7A

T1S



T1




Fitting instruction
Montageanleitung
Monteringsvejledning
Monteringsvægledning
Montage hanleiding
Manuel de montage




3




4







5




Colour: 02, 04, 05, 06, 08, 09, 12, 14, 15, 16, 17,
18, 19, 20, 21, 25, 27, 60, 62, 63, 65, 66



Cu:
KV1: Ø10
KV1US: Ø3/8\"
KV1Q: Ø3/8\"



NR.10/L/M:	VR20, VR22, VR273/L/M, VR294, VR295
VR17L4K:	VR15P, VR16L4, VR17L (US Standard)
VR17L5K:	VR15P, VR16L5, VR17L
VR17L9K:	VR15P, VR16L9, VR17L
VR17LSK:	VR15P, VR16LS, VR17L
VR30:	VR15P, VR16L9, VR17L, VR29, 4xVR31, VR35, VR1902 (F40) (and KV1 from 1972 - 1996)
VR132:	VR15P, VR16L9, VR17L, 2xVR31, 2xVR558, VR1902 (2013 - 06. 2016)
VR133:	VR15P, VR16L9, VR17L, VR24, 4xVR31, VR113, VR1902 (1997 - 2012)
VR230:	VR15P, VR16L9, VR17L, 2xVR118, VR229, VR235, 4xVR558, VR1902 (06-2016 -)
VR117K:	VR116, VR117, VR118, 2xVR558, VR1902
VR277K:	VR22, VR269, VR277
VR297/L/M:	VR20, VR22, VR269, VR273/L/M, VR277, VR294, VR295, VR296
VR433:	VR261, VR263, VR440, VR442, 2xVR444



vola
Lunavej 2
DK-8700 Horsens
Tlf : + 45 7023 5500
sales@vola.com
www.vola.com

KV1 Family:

KV1: /250, /300
KV1L: /250, /300
KV1M: /250, /300

Date
Jan. 23

Rev.
9


Sheet
SB25.2

Exploded view diagram of a water filter assembly. The components are labeled as follows:


- 273: Top housing part
- 20: Small pin or screw
- 273L: Long curved filter tube
- 273M: Short curved filter tube
- 22: U-shaped bracket
- 294: Filter housing cap (Q: 294BQ)
- 295: Filter housing base
- 269: Hex nut
- 296: Filter housing gasket
- 277: Filter housing body
- G3/8" US 9/16": Thread specification for the filter housing
- 1902: Water filter cartridge (shown in an inset)
- 434: Filter housing gasket
- 446: Filter housing gasket
- 502: Filter housing gasket
- 445: Filter housing gasket
- 455: Filter housing gasket

Technical drawing of a vertical rod. A dimension line indicates a diameter of $\varnothing 3/8"$.


VR277K:	VR22, VR269, VR277
VR297:	VR20, VR22, VR269, VR273, VR277, VR294, VR295, VR296
VR434:	2xVR444, VR445, 2xVR455, VR502
NR.10:	VR20, VR22, VR273, VR294, VR295



500:



500: Ø10
500US: Ø3/8"



VR277K: VR22, VR269, VR277
VR297: VR20, VR22, VR269, VR273, VR277, VR294, VR295, VR296
VR434: 2xVR444, VR445, 2xVR455, VR502
NR.10: VR20, VR22, VR273, VR294, VR295



vola
Lunavej 2
DK-8700 Horsens
Tlf : + 45 7023 5500
sales@vola.com
www.vola.com


VOLA 500/M/L

Date
Jan. 23





Rev.
4

Sheet
SB 4.1

Colour: 02, 04, 05, 06, 08, 09, 12, 14, 15, 16, 17,
18, 19, 20, 21, 25, 27, 60, 62, 63, 65, 66



Cu:
KV1: Ø10
KV1US: Ø3/8"
KV1Q: Ø3/8"



NR.10/L/M:	VR20, VR22, VR273/L/M, VR294, VR295
VR17L4K:	VR15P, VR16L4, VR17L (US Standard)
VR17L5K:	VR15P, VR16L5, VR17L
VR17L9K:	VR15P, VR16L9, VR17L
VR17LSK:	VR15P, VR16LS, VR17L
VR30:	VR15P, VR16L9, VR17L, VR29, 4xVR31, VR35, VR1902 (F40) (and KV1 from 1972 - 1996)
VR132:	VR15P, VR16L9, VR17L, 2xVR31, 2xVR558, VR1902 (2013 - 06. 2016)
VR133:	VR15P, VR16L9, VR17L, VR24, 4xVR31, VR113, VR1902 (1997 - 2012)
VR230:	VR15P, VR16L9, VR17L, 2xVR118, VR229, VR235, 4xVR558, VR1902 (06-2016 -)
VR117K:	VR116, VR117, VR118, 2xVR558, VR1902
VR277K:	VR22, VR269, VR277
VR297/L/M:	VR20, VR22, VR269, VR273/L/M, VR277, VR294, VR295, VR296
VR433:	VR261, VR263, VR440, VR442, 2xVR444



vola
Lunavej 2
DK-8700 Horsens
Tlf : + 45 7023 5500
sales@vola.com
www.vola.com



KV1 Family:

KV1: /250, /300
KV1L: /250, /300
KV1M: /250, /300

Date
Jan. 23

Rev.
9

Sheet
SB25.2



VR435: VR63, 2xVR444, VR447, VR448



vola
Lunavej 2
DK-8700 Horsens
Tlf : + 45 7023 5500
Fax: + 45 7023 5511
sales@vola.com
www.vola.com

VOLA T1, T1S T1V, T1SV

Date
Jun. 17

Rev.
6

Sheet
SB 39